

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A method for tracking phone calls, comprising:

detecting completion of a call;

responsively presenting a user of a first client station with (i) information about the call
and (ii) a prompt requesting the user to categorize the call;

receiving from the user, in response to the prompt, a categorization of the call; ~~and~~

transmitting from the first client station to a network server, via a radio access network, a
record of the call and the categorization of the call, ~~wherein the record of the call and the~~
~~categorization of the call are transmitted via an HTTP POST message; and~~

displaying on a second client station one or more records of calls including the
categorization of each call.
2. (Original) The method of claim 1, wherein the information about the call
comprises call-duration information and call-participant information.
3. (Original) The method of claim 1, wherein the prompt requesting the user to
categorize the call requests the user to categorize the call as a business or personal call.
4. (Original) The method of claim 1, wherein the categorization is selected from the
group consisting of business and personal.

5. (Original) The method of claim 1, wherein the record of the call includes the categorization of the call.

6. (Currently amended) The method of claim 1, wherein transmitting from the first client station to a network server, via a radio access network, a record of the call and the categorization of the call comprises:

upon completion of the call, automatically transmitting from the first client station to the network server, via the radio access network, the record of the call including a record ID; and

after transmitting one or more records of calls including the record ID of each call, transmitting from the first client station to the network server, via the radio access network, the record ID and the categorization of the call.

Claims 7-10 (cancelled).

11. (Currently amended) A system comprising:

a first client station; and

a network server coupled to the first client station;

wherein the first client station comprises a wireless communication interface, a display, a user-input mechanism, and program logic executable, in response to completion of a call, (i) to present on the display information about the call and a prompt requesting a user to categorize the call, (ii) to then receive via the user-input mechanism a categorization of the call, and (iii) to thereafter send to the network server, via the wireless communication interface, a record of the

call and the categorization of the call, ~~wherein the record of the call and the categorization of the call are sent via an HTTP POST message; and~~

wherein the network server comprises program logic executable to store the record of the call and the categorization of the call; and

wherein the system further comprises a second client station, the second client station comprising a display and program logic executable to present on the display one or more records of calls including the categorization of each call.

12. (Original) The system of claim 11, wherein the information about the call comprises call-duration information and call-participant information.

13. (Original) The system of claim 11, wherein the prompt requesting the user to categorize the call requests the user to categorize the call as a business or personal call.

14. (Original) The system of claim 11, wherein the categorization is selected from the group consisting of business and personal.

15. (Cancelled)

16. (Currently amended) A system comprising:
a first client station and a second client station; and

McDonnell Boennnen Hulbert & Berghoff LLP
300 South Wacker Drive
Chicago, IL 60606
Telephone: (312) 913-0001

a network server coupled to the first and second client stations;

wherein the first client station comprises a wireless communication interface, a display, a user-input mechanism, and program logic executable, in response to completion of a call, (i) to present on the display information about the call and a prompt requesting a user to categorize the call, (ii) to then receive via the user-input mechanism a categorization of the call, and (iii) to thereafter send to the network server, via the wireless communication interface, a record of the call and the categorization of the call, ~~wherein the record of the call and the categorization of the call are sent via an HTTP POST message;~~

wherein the network server comprises program logic executable to store the record of the call and the categorization of the call; and

wherein the second client station comprises a display and program logic executable to present on the display one or more records of calls and the categorization of each call.

17. (Original) The system of claim 16, wherein the information about the call comprises call-duration information and call-participant information.

18. (Original) The system of claim 16, wherein the prompt requesting the user to categorize the call requests the user to categorize the call as a business or personal call.

19. (Original) The system of claim 16, wherein the categorization is selected from the group consisting of business and personal.

20. (Currently amended) The method of claim 1, wherein the network server stores the record of the call and the categorization of the call, further comprising:

requesting from the network server a stored record of the call and a stored categorization of the call;

receiving at the first client station the stored record of the call and the stored categorization of the call; and

displaying the stored record of the call and the stored categorization of the call received from the network server on the first client station.

21. (Previously presented) The method of claim 20, wherein requesting from the network server the stored record of the call and the stored categorization of the call further comprises requesting from the network server the stored record of the call and the stored categorization of the call via an HTTP GET request.

22. (Cancelled)

23. (Cancelled)

24. (Currently amended) The system of claim 11, wherein the first client station further comprises program logic executable to (1) request from the network server a stored record of the call and a stored categorization of the call, (2) receive at the first client station the stored record of the call and the stored categorization of the call, and (3) display the stored record

of the call and the stored categorization of the call received from the network server on the first client station.

25. (Previously presented) The system of claim 24, wherein the first client station further comprises program logic executable to request from the network server the stored record of the call and the stored categorization of the call via an HTTP GET request.

26. (Previously presented) The system of claim 16, wherein the first client station further comprises program logic executable to (1) request from the network server a stored record of the call and a stored categorization of the call, (2) receive at the first client station the stored record of the call and the stored categorization of the call, and (3) display the stored record of the call and the stored categorization of the call received from the network server on the first client station.

27. (Previously presented) The system of claim 26, wherein the first client station further comprises program logic executable to request from the network server the stored record of the call and the stored categorization of the call via an HTTP GET request.

28. (New) The method of claim 1, wherein the record of the call and the categorization of the call are transmitted via an HTTP POST message.

29. (New) The system of claim 11, wherein the record of the call and the categorization of the call are sent via an HTTP POST message.

30. (New) The system of claim 16, wherein the record of the call and the categorization of the call are sent via an HTTP POST message.